



Pargreen Process Technologies  
1224 Capitol Drive  
Addison, IL. 60101  
USA

Call: 800.323.2810

Fax: 630.628.3050

Email: [sales@pargreen.com](mailto:sales@pargreen.com)


Website: [www.pargreen.com](http://www.pargreen.com)

## THE MAXILINE™ MBF HD MULTI-BAG FILTER HOUSINGS

The MAXILINE HD multi-bag filter housing features a cost effective, handwheel operated, davit cover. Loosen the swing bolts, turn the davit handwheel and swing the cover aside.

- Standard ASME "U" Code Stamp.
- Tapered, electro-polished stainless steel perforated baskets.
- Unique 3-point hold-down or

[+ more](#)



1

<u>Item #</u>	<u>No. of Bags</u>	<u>Maximum Flow</u>	<u>Material</u>	<u>Housing Volume</u>	<u>Housing Weight</u>	<u>Inlet/Outlet Connection</u>
<u>MBF-0302-AB10-030A-UT-11HD</u>	3	230 gpm	SS 316	40 gal	255 lb	3 in
<u>MBF-0402-AB10-040A-UT-11HD</u>	4	400 gpm	SS 316	54 gal	390 lb	4 in

<u>Item #</u>	<u>No. of Bags</u>	<u>Maximum Flow</u>	<u>Material</u>	<u>Housing Volume</u>	<u>Housing Weight</u>	<u>Inlet/Outlet Connection</u>
<u>MBF-0602-AB10-060A-UT-11HD</u>	6	900 gpm	SS 316	95 gal	460 lb	6 in
<u>MBF-0802-AB10-080A-UT-11HD</u>	8	1750 gpm	SS 316	140 gal	655 lb	8 in
<u>MBF-1002-AB10-100A-UT-11HD</u>	10	2600 gpm	SS 316	215 gal	1400 lb	10 in
<u>MBF-1202-AB10-100A-UT-11HD</u>	12	2600 gpm	SS 316	245 gal	1500 lb	10 in
<u>MBF-1402-AB10-100A-UT-11HD</u>	14	2600 gpm	SS 316	311 gal	1800 lb	10 in
<u>MBF-1602-AB10-120A-UT-11HD</u>	16	3500 gpm	SS 316	317 gal	1875 lb	12 in
<u>MBF-1802-AB10-120A-UT-11HD</u>	18	3500 gpm	SS 316	446 gal	2420 lb	12 in
<u>MBF-2002-AB10-140A-UT-11HD</u>	20	4500 gpm	SS 316	454 gal	2505 lb	14 in
<u>MBF-2202-AB10-140A-UT-11HD</u>	22	4500 gpm	SS 316	570 gal	2730 lb	14 in
<u>MBF-2402-AB10-140A-UT-11HD</u>	24	4500 gpm	SS 316	570 gal	2800 lb	14 in

<u>Item #</u>	<u>No. of Bags</u>	<u>Maximum Flow</u>	<u>Material</u>	<u>Housing Volume</u>	<u>Housing Weight</u>	<u>Inlet/Outlet Connection</u>
<u>MBF-0302- CS10-030A- UT-11HD</u>	3	230 gpm	Carbon Steel	40 gal	255 lb	3 in
<u>MBF-0402- CS10-040A- UT-11HD</u>	4	400 gpm	Carbon Steel	54 gal	390 lb	4 in
<u>MBF-0602- CS10-060A- UT-11HD</u>	6	900 gpm	Carbon Steel	95 gal	460 lb	6 in
<u>MBF-0802- CS10-080A- UT-11HD</u>	8	1750 gpm	Carbon Steel	140 gal	655 lb	8 in
<u>MBF-1002- CS10-100A- UT-11HD</u>	10	2600 gpm	Carbon Steel	215 gal	1400 lb	10 in
<u>MBF-1202- CS10-100A- UT-11HD</u>	12	2600 gpm	Carbon Steel	245 gal	1500 lb	10 in
<u>MBF-1402- CS10-100A- UT-11HD</u>	14	2600 gpm	Carbon Steel	311 gal	1800 lb	10 in
<u>MBF-1602- CS10-120A- UT-11HD</u>	16	3500 gpm	Carbon Steel	317 gal	1875 lb	12 in
<u>MBF-1802- CS10-120A- UT-11HD</u>	18	3500 gpm	Carbon Steel	446 gal	2420 lb	12 in
<u>MBF-2002- CS10-140A- UT-11HD</u>	20	4500 gpm	Carbon Steel	454 gal	2505 lb	14 in

<u>Item #</u>	<u>No. of Bags</u>	<u>Maximum Flow</u>	<u>Material</u>	<u>Housing Volume</u>	<u>Housing Weight</u>	<u>Inlet/Outlet Connection</u>
<u>MBF-2202- CS10-140A- UT-11HD</u>	22	4500 gpm	Carbon Steel	570 gal	2730 lb	14 in
<u>MBF-2402- CS10-140A- UT-11HD</u>	24	4500 gpm	Carbon Steel	570 gal	2800 lb	14 in